

File Date: _____

Case No: _____

ATTACHMENT # _____

EXHIBIT _____

TAB (DESCRIPTION) _____

APPEALING DENIED OR UNDERPAID CLAIMS

Hospitals and physicians may encounter denied, pending or underpaid claims for numerous reasons. Claims are usually pending or denied for five principal reasons:

- Administrative errors made by claims processors;
- Clerical errors made on the claim forms;
- A determination by the carrier or payer that the procedure/test is not medically necessary;
- Patient not responding to payer's request for info (i.e., verification of third party payer);
- Procedure considered "investigational" by payor.

Appealing Denied Claims

If the claim is denied, we recommend careful review of the Explanation of Benefits (EOB) for an explanation or reason for the denial. If the EOB does not clearly explain the reason, you should immediately contact your Medicare contractor, or non-Medicare payer, and request an explanation of the denied claim. In those cases where a clerical error was made on the claim form, you should simply confirm the appropriate codes to use and resubmit a corrected claim form.

In other cases, payers may deny claims based on their determination of a lack of medical necessity. ***Please be sure to address the issue of medical necessity immediately, and by itself. It is imperative that the payor agree that medical intervention is necessary. If this is the sole objection, you should get an approval. Once medical necessity has been established, you may proceed to address any other contingencies identified by the payor, such as the determination that the technology is considered investigational.*** In these cases, you should contact the Medicare contractor or non-Medicare payer and offer to provide additional information about EVLT®. You should ask the claims processor to specify what additional materials are required to reverse the original coverage determination.

If the insurance company continues to stand by their denial, you should begin the appeal process. All payers have an appeal process and you should ask the payer to forward you a written explanation of their process. You should also ask them to provide a written copy of the clinical criteria used in making this determination (the carrier is required to provide this at no cost to patients or providers). Your appeal letter should include a statement, a direct quote from the denial, as to why the EVLT® procedure was denied and why you are appealing it. When possible, include patient photos and test results, EVLT® articles and published data with your letter. A sample appeal letter with summary data is included in this section.

Many physicians have met/spoken with carrier medical directors. These collegial discussions have provided an opportunity for providers to educate payors, and have frequently resulted in a positive coverage decision. Diomed, Inc. has prepared presentation materials for use by physicians when meeting with carrier medical directors. Please contact your sales consultant or the Diomed, Inc. Director for Reimbursement at 623-322-0803 for assistance in this matter.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Letter of Appeal

TO BE PLACED ON MD LETTERHEAD

Carrier Name:

Carrier Address:

Date:

Reference ID:

Patient Name:

Patient's DOB:

Subscriber's Name:

Insurance:

Dates of Service:

Dear ()::

I am writing to request reconsideration of coverage of endovenous laser treatment (EVL[®]) for my patient (name). Your stated reason for denial was: "The procedure is (example considered investigational or experimental). The clinical criteria used in this review was ()." I have reviewed the data you sent and would like to address several issues.

ADDRESS ISSUES

Summary

Endovenous Laser Treatment (EVL[®]) received 510K clearance from the United States Food and Drug Administration (FDA) for its laser and procedure kit for "Use in endovascular coagulation of the greater saphenous vein of the thigh in patients with superficial vein reflux", on January 22, 2002. EVLT[®] received 510K clearance from the FDA for The Diomed D15 plus and D30 plus and EVLT[®] Kits on December 1, 2004 for treatment of incompetence and reflux of superficial veins in the lower extremity. Delta Laser System received 510K clearance August 18, 2005 for the following indications: General Surgery, Ophthalmology/Oculoplastic, Urology, Gastroenterology, Gynecology, Otorhinolaryngology, Pulmonary/Thoracic, Dermatology/Plastic Surgery, Neurosurgery (coagulation only), Orthopedic, Treatment of varicose veins and varicosities with superficial reflux of the Greater Saphenous Vein, Treatment of incompetent refluxing veins in the superficial venous system in the lower limb."

There have been over 200,000 limbs, worldwide, successfully treated with EVLT[®]. An estimated 110,000 have been performed using the Diomed laser.

There are 220 varicose vein operations/100,000 population. The basic tenet of surgery is to eliminate the incompetent venous segment at the highest point of reflux. This can be accomplished surgically via ligation and stripping or endovenously via luminal contraction and occlusion.

Comparison of results between surgical intervention and EVLT[®] can be made by a review of results reported in the literature. The majority of studies related to ligation and stripping of the greater saphenous vein report only one year follow up.⁽²⁾ The recurrence rate documented in the literature, following vein stripping can range from 20% to 65%^(12,13,17), first seen at 3 months on duplex ultrasound. An estimated 20% of varicose vein surgeries are performed for recurrent varicosities.⁽⁶¹⁾ Complications of surgery include: paresthesia along saphenous vein 25% at 2 weeks dropping to 7.7% at six months⁽⁵⁶⁾, wound infection – especially groin, large hematoma; incidence of deep vein thrombophlebitis (DVT) from 0.3% to 1.1%⁽⁵⁶⁾ dyesthesia (injury to the saphenous and sural nerves), cutaneous hyperpigmentation⁽¹⁾ and a risk of minor complications 17%⁽³⁴⁾.

EVL[®] is an alternative treatment to surgical vein ligation and stripping. Its use has been documented in six peer review articles (bibliography attached) representing 759 saphenous veins, followed for one to thirty-six months, by three different authors. All demonstrated an initial success rate (success defined as complete occlusion of the saphenous vein demonstrated by Doppler ultrasound at the end of the procedure) of 90 – 100%, and a recurrence rate of less than 10%. All recurrences

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT[®] procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

occurred within the first nine months, the majority within the first three months. Approximately four to seven days after surgery, a palpable induration/tightness has been observed in the area of anesthetic infiltration. This resolves within three to ten days. It is only seen in patients with successful outcomes (total occlusion) and it is speculated that this symptom is related to vein wall thickening and contraction of the treated vein.

Complications included: slight to moderate pain, mild to moderate ecchymosis and one transient paresthesia, all resolved within two weeks. One author (57) observed superficial thrombophlebitis in nine patients (8.7%). All resolved within two weeks. He identified these patients as high risk for revascularization associated with anticoagulant therapy, platelet inhibiting medication and high body mass index (BMI). The rate of recanalization was not statistically significantly higher. However, if the high risk patients were removed from the study, recurrence rates resembled those of other authors (<7%). Otherwise, there was **no** evidence of hematoma, infection, burns, paresthesia, cellulitis, deep vein thrombophlebitis (DVT) or pulmonary emboli (PE).

Seven abstracts were presented at the American College of Phlebology Meeting in August 2002 (two have gone on to publication and have been omitted from the following results) representing a population of 942 limbs. Follow-up ranged from 1–48 months. They demonstrated an initial success rate of 96.8–100%, with a recurrence rate of less than 7%. No complications were cited.

One additional abstract was presented at the International Symposium on Endovascular Therapy in January 2003, and two more at the Society of Interventional Radiology Meeting on March 29, 2003, representing a population of 335 limbs, followed from 12–24 months. They demonstrated a minimum of 98% initial success, with a recurrence rate of 6% or less. Complications included mild ecchymosis. There were no burns, DVT or paresthesia. All recurrences occurred within the first nine months, the majority within three months.

The same palpable induration/tightness occurred in the area of anesthetic infiltration. Again, this resolved within three to ten days and was thought to represent vein wall thickening and contraction of the treated vein.

A review of six clinical case studies (case series design studies produce high quality information with low risk of bias. Controlled conditions are not necessary because varicose veins do not heal spontaneously and EVLT® can be performed in isolation from other treatment), representing 205 limbs, followed from three to eighteen months demonstrated initial success rates of 100%. Complications included: 1 seroma at the access site (resolved), one temporary paresthesia (resolved) and one mild hyperpigmentation in skin type III/IV (resolved).

In a total population of 2,241 limbs with an overall average follow up of 13.8 months, EVLT® has demonstrated an overall:

- Complication rate of 0.54%
 - ♦ 9 superficial thrombophlebitis in high risk patients (resolved).
 - ♦ 1 seroma
 - ♦ 1 hyperpigmentation in skin type III/IV
 - ♦ 1 transient paresthesia
- Initial success rate 98.9%
- Recurrence rate: 3.3%

Three of the seven studies were prospective, non-randomized consecutive studies. Patients who chose EVLT® over surgery stated they were pleased (satisfied) with their decision. All patients who were asked stated they would recommend the procedure to a friend.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

EVL[®] has consistently demonstrated superior results when compared to vein ligation and stripping:

	SURGERY	EVL [®]
Recurrence	20% - 80%	<10%
DVT	0.3% - 1.1%	0
Comp. Rate	17%	.54%
Paresthesia	25% @ 2 weeks; 7.7% @ 6 months	0.04% resolved in 6 weeks
Sup. Thrombophlebitis	0	0 - 0.40%

Five year outcomes for EVLT[®] have now been published. Results demonstrate 98% closure rate at five years compared to a recurrence rate after surgical stripping of the GSV of 73% at five years and 87% following radiofrequency ablation.

Thirty-three physicians converted from radiofrequency ablation to endovenous laser treatment (EVL[®]) in 2006.

EVL[®] can be performed in the physician's office, with local anesthesia. This avoids the risks of general anesthesia, surgical complications (scarring, paresthesia, bleeding, infection), the costs of inpatient hospitalization and prolonged recovery.

Productivity (societal) costs can be measured by lost workdays. Patients who choose EVLT[®] average 0-1 lost workdays. Patients who choose ligation and stripping average 4 days – 6 weeks and longer depending on physical job functions. Based on the United States Department of Labor, Bureau of Labor Statistics, the average total hourly compensation paid by employers per employee for civilian workers, for the fourth quarter 2003 was \$24.59. The societal cost of one missed day of work for an EVLT[®] patient is \$196.72. Based on 13 lost workdays (mean) following surgical ligation and stripping, the societal cost is \$2,557.36.

EVL[®] has received professional recognition from the American Society for Laser Medicine and Surgery in an abstract by Dr. Luigi Mazzi stating: "Every patient who is a good candidate for surgical stripping is a good candidate for this technique, too." The procedure was also supported in an abstract by Dr. Luis Navarro and Dr. Carlos Bone' Salat at the American College of Phlebology 16th Annual Conference in November 2002. They stated: "At three years, the safety and low recanalization rates ... are superior to the safety and recurrence of ligation and stripping, making it an effective alternative or possibly the current primary treatment choice." The Society for Interventional Radiology in its valuation of literature concluded: "Endovenous ablation is an effective treatment for venous reflux and varicose veins ... these results are comparable or superior to those reported for the other options available for treatment of GSV reflux, including surgery or ultrasound-guided sclerotherapy."

The BlueCross-BlueShield Association has recommended that EVLT[®] be accepted for coverage by BlueCross-BlueShield payor organizations and has provided them with a sample policy stating: "...laser ablation of the greater saphenous vein, as an alternative to saphenous vein ligation and stripping ... may be considered medically necessary as a treatment of varicose veins." Additionally, EVLT[®] has received written coverage policies from Medicare and non-Medicare carriers (attached).

The Common Procedural Terminology Code book for 2005 first published the code for EVLT[®]:

- 36478:** Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, Laser; first vein treated
- 36497:** Second and subsequent veins treated in a single extremity, each through Separate access sites (list separately in addition to code for primary procedure)

Enclosures:

Bibliography
Policy list

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT[®] procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Zverev Production 000035

Articles:

1. Black, Carl MD, et.al., "Failure Rates of Endovenous Radiofrequency Ablation Compared Endovenous Laser Ablation", Journal of Vascular and Interventional Radiology, February, 2005, Vol. 16, No. 2, Part 2
2. Mekako, Anthony MD, et. al., "A Nonrandomized Controlled Trial of Endovenous Laser Therapy and Surgery in the Treatment of Varicose Veins", Annals of Vascular Surgery, 2006, DOI: 10.1007/s10016-006-9095-y
3. Min. R.J., MD: "Endovenous Laser Ablation of Varicose Veins", Journal of Cardiovascular Surgery, 2005; 46: 000-00, P

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Appealing Underpaid Claims

If you feel your claim has been underpaid, contact the claims office identified on the patient's EOB, and request a review of your claim. Claims may be underpaid for various reasons including:

- Low contractual agreement;
- Incorrect coding of the actual procedure(s) performed;
- Lack or misuse of appropriate modifier;
- Lack of supporting documentation.

Each payer has their own review process, but in most cases, you will be asked to submit your request in writing. Once you determine what the process is, inquire where the request should be sent and to whom it should be directed.

Additional supporting documentation related to denied or underpaid claims, such as journal articles, are available from Diomed, Inc. upon request. These materials can be included with resubmitted claims in support of the appeal. We encourage providers to appeal all denials and underpaid claims., and are available to help with those appeals.

For additional assistance with denied or underpaid claims, please contact the Director of Reimbursement at 623-322-0803.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

CODING AND CLAIMS SUBMISSION

Coding is the language used by carriers to identify and respond to claims. Codes billed from providers must match (speak to) codes within the carrier system.

Coding

Codes serve to track utilization and establish reimbursement rates for facility and professional services. Existing codes 'fit the system'. Electronic data can be processed in a timely and uneventful fashion. Coding identifies a patient's diagnoses and treatments and any products used in the course of his or her care. Codes apply to hospital services (inpatient and outpatient) as well as physician's services. Hospital providers should report hospital-related services for the EVLT® procedure using the UB-92 (also known as the HCFA/CMS 1450) claim form. Physicians obtain reimbursement for their professional services using a different claim form than hospitals. Physicians bill for their services using the HCFA/CMS 1500 claim form.

This chapter provides information on possible coding options for hospital and physician services and coding guidelines. Sample billing claim forms are also provided for your reference.

Note: The coding options presented in this guide are not all-inclusive and are not intended to represent all coding options. Coding of principal diagnosis and procedure coding, as well as additional diagnoses and procedure coding, is dependent on the documentation in the patient's medical record. CPT codes are established and maintained by the American Medical Association. The AMA specifically states: **"Do not select a CPT code that merely approximates the service provided. If no such procedure or service exists, then report the service using the appropriate unlisted procedure or service code."** (Source: CPT® 2002, Instruction for Use of CPT.)

Several coding systems apply to the EVLT® procedure. The following table provides examples of each of these coding systems.

CODING SYSTEM	USED TO DESCRIBE	USED BY	EXAMPLE	DESCRIPTION
ICD-9-CM Diagnosis	The patient's primary, secondary, etc. diagnosis that prompted treatment	Hospitals & Physicians	454.1	Varicose veins of lower extremities, with inflammation
ICD-9-CM Procedure	What was done	Hospitals	38.80	Other surgical occlusion of vessels, unspecified
Revenue Code	Hospital accounting centers	Hospitals	272	Sterile Supplies
CPT* Procedure Code	Physician's professional services	Physicians	36478 36479	Endovenous ablation therapy of incompetent vein, extremity; inclusive of all imaging guidance and monitoring, percutaneous, laser 1" 2 nd and subsequent veins treated in a single extremity, each through separate access sites (list separately in addition to code for primary procedure)

* ©Copyright 1995-2007 American Medical Association. All rights reserved.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Claims Submission

Services and their corresponding charges are reported on approved claim forms. Claim forms are relatively universal, accepted by most insurance carriers. Hospitals submit their claims on a UB-92 (also known as the HCFA/CMS 1450) claim form, for inpatient and outpatient services, while physicians use the HCFA/CMS 1500. Insurance claims are usually submitted in two ways: A) paper claims that are mailed or faxed to the payer and B) electronic claims stored on computer media and transmitted via modem.

Clean Claims

Clean claims are those submitted to the insurance company containing all the necessary information for processing. Clean claims are usually paid in a timely manner. Below is a list of several common errors that cause delay in claims processing.

- Patient's ID number is incorrect;
- Patient's full name and address does not match the insurer's records;
- Patient's information is incomplete;
- Physician's identifying information (e.g. UPIN number) is missing;
- Physician's signature is missing;
- Hospital (authorized personnel) signature is missing;
- Dates of service are incomplete or do not match with associated claim history for the patient;
- Charges omitted;
- Invalid CPT and/or ICD-9 codes used;
- Information on claim form is illegible.

Properly coded and documented claims are the key to successful reimbursement. The **sample** claim forms provided in this section are examples of how outpatient facilities and physicians may code claims for their services. Each code should reflect the provider's usual and customary charge for the corresponding procedure.

These claims are samples only, provided to help the providers and their billing agents understand how the coding systems are reflected on the claim forms.

Please Note: Federal law prohibits fraudulent statements made on insurance claim submissions, and violations can result in both civil and criminal penalties. Diomed, Inc. strongly recommends that you consult your payers for local coverage and reimbursement policies, and follow all applicable federal, state and local laws when billing for reimbursement.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Summary Of Possible Coding Options For EVLT®

Note: This coding list is not all-inclusive and is not intended to represent all coding options. Coding of additional diagnoses and procedure codes, just as for principal diagnosis and procedure coding, is dependent on the documentation in the patient's medical record. These recommendations are based upon existent payer coverage policies for EVLT®. Final decision is at the discretion of the provider.

ICD-9-CM ¹ DIAGNOSIS CODES	DESCRIPTION
454.0	Varicose veins of lower extremities, with ulcer
454.1	Varicose veins of lower extremities, with inflammation
454.2	Varicose veins of lower extremities, with ulcer and inflammation
459.0	Hemorrhage, unspecified
729.5	Pain in soft tissues of limb
782.0	Disturbance of skin sensation
<p><i>Note: Medicare recognizes 4 ICD-9 codes for EVLT®. They are:</i></p> <p>454.1: Varicose veins, inflamed or infected</p> <p>454.1: Varicose veins, stasis dermatitis</p> <p>454.1: Varicose veins, lower, ulcer</p> <p>454.8: Varicose veins with pain, swelling</p> <p>454.8: Varicose veins with other complications NEC</p> <p>454.2: Varicose veins with ulcer – inflamed or infected</p> <p>454.0: Varicose ulcer (lower extremity, any part)</p>	
ICD-9-CM ¹ PROCEDURE CODES	DESCRIPTION
38.80	Other surgical occlusion of vessels, unspecified
REVENUE CODES	DESCRIPTION
272	Sterile Supply
CPT ² PROCEDURE CODES	DESCRIPTION
36478	Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser, 1 st vein treated
36479	2 nd and subsequent veins treated in a single extremity, each through separate access sites (list separately in addition to code for primary procedure)
HCPC CODES	DESCRIPTOR
Modifier ²	DESCRIPTION
-PC (aka -26)	*Professional Component (Applicable only to radiological supervision & interpretation)
-TC	*Technical Component (Applicable only to radiological supervision & interpretation)
-51	Multiple Procedures

¹2002 ICD-9-CM Expert for Hospitals Volumes 1, 2, and 3; International Classification of Diseases, 9th Revision, Clinical Modification; Sixth Edition; Medicode; Ingenix Companies.

²Current Procedural Terminology, Professional Edition (CPT®) ©Copyright 1995-2006 American Medical Association.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Possible Coding For Outpatient Hospital Services

The EVLT® procedure may be performed in various outpatient settings: outpatient hospital, Ambulatory Surgery Center, Surgicenter, and the physician's office. Most payers, including Medicare, have specific site-of-service guidelines regarding where a procedure/test may be performed. In some cases, a payer may require the EVLT® procedure to be performed in a specific facility setting. Reimbursement varies by location of service. For example, **Medicare payment in the Hospital Outpatient Department (HOPD) differs from services provided in the Ambulatory Surgical Center (ASC).** To obtain best/most accurate reimbursement for the EVLT® procedure, Diomed, Inc. recommends verifying payer site-of-service requirements and reimbursement specifics prior to scheduling the procedure.

Outpatient Hospital

Outpatient hospital services provided for the EVLT® procedure should be reported on the UB-92 (also known as the HCFA/CMS 1450) claim form. The APC category for EVLT® is 0092. Payment based on Medicare national unadjusted average (Federal Register, 2007):

This is a facility payment only. Physicians bill separately for their services.

CPT	DESCRIPTION	APC	REL. WT.	PAYMENT	NAT'L UNADJ. CO-PAY	MIN. CO-PAY
36478	Endovenous ablation therapy of incompetent vein, inclusive of all imaging guidance and monitoring, percutaneous laser, 1 st vein treated	0092	24.8809	\$1,529.38	\$309.87	\$305.88
36479	2 nd and subsequent veins treated in a single extremity, each through separate access sites (list separately in addition to code for primary procedure)	0092	24.8809	\$1,529.38	\$309.87	\$305.88

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

UB-92 Paper Claim Form (Outpatient Hospital)

See the Sample UB-92 Paper Claim Form on the following page.

CLAIM FORM FIELD	CODE (EXAMPLES ONLY)	GUIDELINES
Field 42 (Revenue code)	Revenue codes will vary based on the services performed. An appropriate code might be:	Enter applicable revenue code(s) in field 42.
Field 43 (Revenue description)	272 Sterile Supply	Enter description of applicable revenue code(s) in field 43.
Field 44 (CPT*/HCPC)	CPT*/HCPC code(s) will vary based on the services(s) rendered. An appropriate code might be: 36478 Endovenous ablation therapy of incompetent vein, inclusive of all imaging guidance and monitoring, percutaneous laser, 1 st vein treated 36479 2 nd and subsequent veins treated in a single extremity, each through separate access sites (list separately in addition to code for primary procedure)	Enter appropriate CPT*/HCPC codes and modifiers, if applicable, in this field. Please note that these codes are required for hospital outpatient billing.
Field 67 (Principal diagnosis)	ICD-9-CM diagnosis code will vary by patient's condition and documentation. An appropriate code might be: 454.1 Varicose veins of lower extremities, with inflammation	Report appropriate diagnosis code in this field. For a more complete list of coding options, see the "Summary of Possible Coding Options for EVLT®" section of this guide, or consult your ICD-9-CM manual for a comprehensive list of coding options.
Fields 80/81 (Procedure codes)	An appropriate code for the procedure might be: 38.80 Other surgical occlusion of vessels, unspecified	Enter applicable ICD-9 procedure codes for all procedure(s) performed. For a more complete list of coding options, see the "Summary of Possible Coding Options for EVLT®" section of this guide, or consult your ICD-9-CM manual for a comprehensive list of coding options.

©Copyright 1995-2002 American Medical Association. All rights reserved.

Coding Source for ICD-9-CM: 2002 ICD-9-CM Expert for Hospitals Volumes 1, 2, and 3; International Classification of Diseases, 9th Revision, Clinical Modification; Sixth Edition; Medicode; Ingenix Companies.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Sample UB-92 Paper Claim Form (Outpatient Hospital)

Field 42:
Enter any/all applicable
revenue code(s)

Field 43:
Enter description(s) of
device, test, procedure,
etc.

Field 44:
Enter appropriate
CPT/HCPCS code(s) &
modifiers (if applicable)

Field 47:
Enter appropriate
charge(s) for service(s)
and/or device(s)

Field 67:
Enter appropriate prin-
ciple ICD-9-CM diagno-
sis code

Field 80/81:
Enter all appropriate
ICD-9-CM procedure
code(s)

1 CARE HOSPITAL 420 Hospital Lane City, USA 99999		2		3 PATIENT CONTROL NO.		4 TYPE OF BILL	
6 FED. TAX NO.		8 STATEMENT COVERS PERIOD FROM		7 COV. D.		9 INCD.	
10 C.D.		11		12 U.R.D.		13	
13 PATIENT NAME Maria-Joanna Valdez				13 PATIENT ADDRESS			
14 BIRTH DATE		15 SEX		16 AGE		17 DATE	
18 ADMISSION		19 ICD-9-CM		20 ICD-9-CM		21 ICD-9-CM	
22 ICD-9-CM		23 ICD-9-CM		24 ICD-9-CM		25 ICD-9-CM	
26 ICD-9-CM		27 ICD-9-CM		28 ICD-9-CM		29 ICD-9-CM	
30 ICD-9-CM		31 ICD-9-CM		32 ICD-9-CM		33 ICD-9-CM	
34 ICD-9-CM		35 ICD-9-CM		36 ICD-9-CM		37 ICD-9-CM	
38 ICD-9-CM		39 ICD-9-CM		40 ICD-9-CM		41 ICD-9-CM	
42 ICD-9-CM		43 ICD-9-CM		44 ICD-9-CM		45 ICD-9-CM	
46 ICD-9-CM		47 ICD-9-CM		48 ICD-9-CM		49 ICD-9-CM	
50 ICD-9-CM		51 ICD-9-CM		52 ICD-9-CM		53 ICD-9-CM	
54 ICD-9-CM		55 ICD-9-CM		56 ICD-9-CM		57 ICD-9-CM	
58 ICD-9-CM		59 ICD-9-CM		60 ICD-9-CM		61 ICD-9-CM	
62 ICD-9-CM		63 ICD-9-CM		64 ICD-9-CM		65 ICD-9-CM	
66 ICD-9-CM		67 ICD-9-CM		68 ICD-9-CM		69 ICD-9-CM	
70 ICD-9-CM		71 ICD-9-CM		72 ICD-9-CM		73 ICD-9-CM	
74 ICD-9-CM		75 ICD-9-CM		76 ICD-9-CM		77 ICD-9-CM	
78 ICD-9-CM		79 ICD-9-CM		80 ICD-9-CM		81 ICD-9-CM	
82 ICD-9-CM		83 ICD-9-CM		84 ICD-9-CM		85 ICD-9-CM	
86 ICD-9-CM		87 ICD-9-CM		88 ICD-9-CM		89 ICD-9-CM	
90 ICD-9-CM		91 ICD-9-CM		92 ICD-9-CM		93 ICD-9-CM	
94 ICD-9-CM		95 ICD-9-CM		96 ICD-9-CM		97 ICD-9-CM	
98 ICD-9-CM		99 ICD-9-CM		100 ICD-9-CM		101 ICD-9-CM	
102 ICD-9-CM		103 ICD-9-CM		104 ICD-9-CM		105 ICD-9-CM	
106 ICD-9-CM		107 ICD-9-CM		108 ICD-9-CM		109 ICD-9-CM	
110 ICD-9-CM		111 ICD-9-CM		112 ICD-9-CM		113 ICD-9-CM	
114 ICD-9-CM		115 ICD-9-CM		116 ICD-9-CM		117 ICD-9-CM	
118 ICD-9-CM		119 ICD-9-CM		120 ICD-9-CM		121 ICD-9-CM	
122 ICD-9-CM		123 ICD-9-CM		124 ICD-9-CM		125 ICD-9-CM	
126 ICD-9-CM		127 ICD-9-CM		128 ICD-9-CM		129 ICD-9-CM	
130 ICD-9-CM		131 ICD-9-CM		132 ICD-9-CM		133 ICD-9-CM	
134 ICD-9-CM		135 ICD-9-CM		136 ICD-9-CM		137 ICD-9-CM	
138 ICD-9-CM		139 ICD-9-CM		140 ICD-9-CM		141 ICD-9-CM	
142 ICD-9-CM		143 ICD-9-CM		144 ICD-9-CM		145 ICD-9-CM	
146 ICD-9-CM		147 ICD-9-CM		148 ICD-9-CM		149 ICD-9-CM	
150 ICD-9-CM		151 ICD-9-CM		152 ICD-9-CM		153 ICD-9-CM	
154 ICD-9-CM		155 ICD-9-CM		156 ICD-9-CM		157 ICD-9-CM	
158 ICD-9-CM		159 ICD-9-CM		160 ICD-9-CM		161 ICD-9-CM	
162 ICD-9-CM		163 ICD-9-CM		164 ICD-9-CM		165 ICD-9-CM	
166 ICD-9-CM		167 ICD-9-CM		168 ICD-9-CM		169 ICD-9-CM	
170 ICD-9-CM		171 ICD-9-CM		172 ICD-9-CM		173 ICD-9-CM	
174 ICD-9-CM		175 ICD-9-CM		176 ICD-9-CM		177 ICD-9-CM	
178 ICD-9-CM		179 ICD-9-CM		180 ICD-9-CM		181 ICD-9-CM	
182 ICD-9-CM		183 ICD-9-CM		184 ICD-9-CM		185 ICD-9-CM	
186 ICD-9-CM		187 ICD-9-CM		188 ICD-9-CM		189 ICD-9-CM	
190 ICD-9-CM		191 ICD-9-CM		192 ICD-9-CM		193 ICD-9-CM	
194 ICD-9-CM		195 ICD-9-CM		196 ICD-9-CM		197 ICD-9-CM	
198 ICD-9-CM		199 ICD-9-CM		200 ICD-9-CM		201 ICD-9-CM	
202 ICD-9-CM		203 ICD-9-CM		204 ICD-9-CM		205 ICD-9-CM	
206 ICD-9-CM		207 ICD-9-CM		208 ICD-9-CM		209 ICD-9-CM	
210 ICD-9-CM		211 ICD-9-CM		212 ICD-9-CM		213 ICD-9-CM	
214 ICD-9-CM		215 ICD-9-CM		216 ICD-9-CM		217 ICD-9-CM	
218 ICD-9-CM		219 ICD-9-CM		220 ICD-9-CM		221 ICD-9-CM	
222 ICD-9-CM		223 ICD-9-CM		224 ICD-9-CM		225 ICD-9-CM	
226 ICD-9-CM		227 ICD-9-CM		228 ICD-9-CM		229 ICD-9-CM	
230 ICD-9-CM		231 ICD-9-CM		232 ICD-9-CM		233 ICD-9-CM	
234 ICD-9-CM		235 ICD-9-CM		236 ICD-9-CM		237 ICD-9-CM	
238 ICD-9-CM		239 ICD-9-CM		240 ICD-9-CM		241 ICD-9-CM	
242 ICD-9-CM		243 ICD-9-CM		244 ICD-9-CM		245 ICD-9-CM	
246 ICD-9-CM		247 ICD-9-CM		248 ICD-9-CM		249 ICD-9-CM	
250 ICD-9-CM		251 ICD-9-CM		252 ICD-9-CM		253 ICD-9-CM	
254 ICD-9-CM		255 ICD-9-CM		256 ICD-9-CM		257 ICD-9-CM	
258 ICD-9-CM		259 ICD-9-CM		260 ICD-9-CM		261 ICD-9-CM	
262 ICD-9-CM		263 ICD-9-CM		264 ICD-9-CM		265 ICD-9-CM	
266 ICD-9-CM		267 ICD-9-CM		268 ICD-9-CM		269 ICD-9-CM	
270 ICD-9-CM		271 ICD-9-CM		272 ICD-9-CM		273 ICD-9-CM	
274 ICD-9-CM		275 ICD-9-CM		276 ICD-9-CM		277 ICD-9-CM	
278 ICD-9-CM		279 ICD-9-CM		280 ICD-9-CM		281 ICD-9-CM	
282 ICD-9-CM		283 ICD-9-CM		284 ICD-9-CM		285 ICD-9-CM	
286 ICD-9-CM		287 ICD-9-CM		288 ICD-9-CM		289 ICD-9-CM	
290 ICD-9-CM		291 ICD-9-CM		292 ICD-9-CM		293 ICD-9-CM	
294 ICD-9-CM		295 ICD-9-CM		296 ICD-9-CM		297 ICD-9-CM	
298 ICD-9-CM		299 ICD-9-CM		300 ICD-9-CM		301 ICD-9-CM	
302 ICD-9-CM		303 ICD-9-CM		304 ICD-9-CM		305 ICD-9-CM	
306 ICD-9-CM		307 ICD-9-CM		308 ICD-9-CM		309 ICD-9-CM	
310 ICD-9-CM		311 ICD-9-CM		312 ICD-9-CM		313 ICD-9-CM	
314 ICD-9-CM		315 ICD-9-CM		316 ICD-9-CM		317 ICD-9-CM	
318 ICD-9-CM		319 ICD-9-CM		320 ICD-9-CM		321 ICD-9-CM	
322 ICD-9-CM		323 ICD-9-CM		324 ICD-9-CM		325 ICD-9-CM	
326 ICD-9-CM		327 ICD-9-CM		328 ICD-9-CM		329 ICD-9-CM	
330 ICD-9-CM		331 ICD-9-CM		332 ICD-9-CM		333 ICD-9-CM	
334 ICD-9-CM		335 ICD-9-CM		336 ICD-9-CM		337 ICD-9-CM	
338 ICD-9-CM		339 ICD-9-CM		340 ICD-9-CM		341 ICD-9-CM	
342 ICD-9-CM		343 ICD-9-CM		344 ICD-9-CM		345 ICD-9-CM	
346 ICD-9-CM		347 ICD-9-CM		348 ICD-9-CM		349 ICD-9-CM	
350 ICD-9-CM		351 ICD-9-CM		352 ICD-9-CM		353 ICD-9-CM	
354 ICD-9-CM		355 ICD-9-CM		356 ICD-9-CM		357 ICD-9-CM	
358 ICD-9-CM		359 ICD-9-CM		360 ICD-9-CM		361 ICD-9-CM	
362 ICD-9-CM		363 ICD-9-CM		364 ICD-9-CM		365 ICD-9-CM	
366 ICD-9-CM		367 ICD-9-CM		368 ICD-9-CM		369 ICD-9-CM	
370 ICD-9-CM		371 ICD-9-CM		372 ICD-9-CM		373 ICD-9-CM	
374 ICD-9-CM		375 ICD-9-CM		376 ICD-9-CM		377 ICD-9-CM	
378 ICD-9-CM		379 ICD-9-CM		380 ICD-9-CM		381 ICD-9-CM	
382 ICD-9-CM		383 ICD-9-CM		384 ICD-9-CM		385 ICD-9-CM	
386 ICD-9-CM		387 ICD-9-CM		388 ICD-9-CM		389 ICD-9-CM	
390 ICD-9-CM		391 ICD-9-CM		392 ICD-9-CM		393 ICD-9-CM	
394 ICD-9-CM		395 ICD-9-CM		396 ICD-9-CM		397 ICD-9-CM	
398 ICD-9-CM		399 ICD-9-CM		400 ICD-9-CM		401 ICD-9-CM	
402 ICD-9-CM		403 ICD-9-CM		404 ICD-9-CM		405 ICD-9-CM	
406 ICD-9-CM		407 ICD-9-CM		408 ICD-9-CM		409 ICD-9-CM	
410 ICD-9-CM		411 ICD-9-CM		412 ICD-9-CM		413 ICD-9-CM	
414 ICD-9-CM		415 ICD-9-CM		416 ICD-9-CM		417 ICD-9-CM	
418 ICD-9-CM		419 ICD-9-CM		420 ICD-9-CM		421 ICD-9-CM	
422 ICD-9-CM		423 ICD-9-CM		424 ICD-9-CM		425 ICD-9-CM	
426 ICD-9-CM		427 ICD-9-CM		428 ICD-9-CM		429 ICD-9-CM	
430 ICD-9-CM		431 ICD-9-CM		432 ICD-9-CM		433 ICD-9-CM	
434 ICD-9-CM		435 ICD-9-CM		436 ICD-9-CM		437 ICD-9-CM	
438 ICD-9-CM		439 ICD-9-CM		440 ICD-9-CM		441 ICD-9-CM	
442 ICD-9-CM		443 ICD-9-CM		444 ICD-9-CM		445 ICD-9-CM	
446 ICD-9-CM		447 ICD-9-CM		448 ICD-9-CM		449 ICD-9-CM	
450 ICD-9-CM		451 ICD-9-CM		452 ICD-9-CM		453 ICD-9-CM	
454 ICD-9-CM		455 ICD-9-CM		456 ICD-9-CM		457 ICD-9-CM	
458 ICD-9-CM		459 ICD-9-CM		460 ICD-9-CM		461 ICD-9-CM	
462 ICD-9-CM		463 ICD-9-CM		464 ICD-9-CM		465 ICD-9-CM	
466 ICD-9-CM		467 ICD-9-CM		468 ICD-9-CM		469 ICD-9-CM	
470 ICD-9-CM		471 ICD-9-CM		472 ICD-9-CM		473 ICD-9-CM	
474 ICD-9-CM		475 ICD-9-CM		476 ICD-9-CM		477 ICD-9-CM	
478 ICD-9-CM		479 ICD-9-CM		480 ICD-9-CM		481 ICD-9-CM	
482 ICD-9-CM		483 ICD-9-CM		484 ICD-9-CM		485 ICD-9-CM	
486 ICD-9-CM		487 ICD-9-CM		488 ICD-9-CM		489 ICD-9-CM	
490 ICD-9-CM		491 ICD-9-CM		492 ICD-9-CM		493 ICD-9-CM	
494 ICD-9-CM		495 ICD-9-CM		496 ICD-9-CM		497 ICD-9-CM	
498 ICD-9-CM		499 ICD-9-CM		500 ICD-9-CM		501 ICD-9-CM	
502 ICD-9-CM		503 ICD-9-CM		504 ICD-9-CM		505 ICD-9-CM	
506 ICD-9-CM		507 ICD-9-CM		508 ICD-9-CM		509 ICD-9-CM	
510 ICD-9-CM		511 ICD-9-CM		512 ICD-9-CM		513 ICD-9-CM	
514 ICD-9-CM		515 ICD-9-CM		516 ICD-9-CM		517 ICD-9-CM	
518 ICD-9-CM		519 ICD-9-CM		520 ICD-9-CM		521 ICD-9-CM	
522 ICD-9-CM		523 ICD-9-CM		524 ICD-9-CM		525 ICD-9-CM	
526 ICD-9-CM		527 ICD-9-CM		528 ICD-9-CM		529 ICD-9-CM	
530 ICD-9-CM		531 ICD-9-CM		532 ICD-9-CM		533 ICD-9-CM	
534 ICD-9-CM		535 ICD-9-CM		536 ICD-9-CM		537 ICD-9-CM	
538 ICD-9-CM		539 ICD-9-CM		540 ICD-9-CM		541 ICD-9-CM	
542 ICD-9-CM		543 ICD-9-CM		544 ICD-9-CM		545 ICD-9-CM	
546 ICD-9-CM		547 ICD-9-CM		548 ICD-9-CM		549 ICD-9-CM	
550 ICD-9-CM		551 ICD-9-CM		552 ICD-9-CM		553 ICD-9-CM	
554 ICD-9-CM		555 ICD-9-CM		556 ICD-9-CM		557 ICD-9-CM	
558 ICD-9-CM		559 ICD-9-CM		560 ICD-9-CM		561 ICD-9-CM	
562 ICD-9-CM		563 ICD-9-CM		564 ICD-9-CM		565 ICD-9-CM	
566 ICD-9-CM		567 ICD-9-CM		568 ICD-9-CM		569 ICD-9-CM	
570 ICD-9-CM		571 ICD-9-CM		572 ICD-9-CM		573 ICD-9-CM	
574 ICD-9-CM		575 ICD-9-CM		576 ICD-9-CM		577 ICD-9-CM	
578 ICD-9-CM		579 ICD-9-CM		580 ICD-9-CM		581 ICD-9-CM	
582 ICD-9-CM		583 ICD-9-CM		584 ICD-9-CM		585 ICD-9-CM	
586 ICD-9-CM		587 ICD-9-CM		588 ICD-9-CM		589 ICD-9-CM	
590 ICD-9-CM		591 ICD-9-CM		592 ICD-9-CM		593 ICD-9-CM	
594 ICD-9-CM		595 ICD-9-CM		596 ICD-9-CM		597 ICD-9-CM	
598 ICD-9-CM		599 ICD-9-CM		600 ICD-9-CM		601 ICD-9-CM	
602 ICD-9-CM		603 ICD-9-CM		604 ICD-9-CM		605 ICD-9-CM	
606 ICD-9-CM		6					

Possible Coding For Physician Services

Physicians file claims for services provided using the HCFA/CMS 1500 paper claim form.

The following list is not all-inclusive and is not intended to represent all coding options. Coding should be specific to the procedure(s) performed and should follow established coding conventions. Any reported service or procedure should be adequately documented in the medical record. For a more complete list of coding options, see the "Summary of Possible Coding Options for EVLT®" section of this guide, or consult your AMA CPT® Manual.

HCFA/CMS 1500 Paper Claim Form (Physician)

See the *Sample HCFA/CMS 1500 Paper Claim Form* on the following page.

CLAIM FORM FIELD	CODE	GUIDELINES/ COMMENTS
Field 21 (Diagnosis) ICD-9-CM diagnosis code	ICD-9-CM diagnosis code(s) will vary by patient's condition and documentation. An appropriate code might be: 454.1 Varicose veins of lower extremities, with inflammation	Report appropriate diagnosis code in this field. For a more complete list of coding options, see the "Summary of Possible Coding Options for EVLT®" section of this guide, or consult your ICD-9-CM manual for a comprehensive list of coding options.
Field 23 (Pre-certification number)		Enter appropriate pre-certification number (if supplied)
Field 24D (CPT/HCPC - procedures, services or supplies)	CPT/HCPC code(s) will vary based on the services(s) rendered. An appropriate code might be: 35478 Endovenous ablation therapy of incompetent vein, inclusive of all imaging guidance and monitoring, percutaneous laser, 1 st vein treated 36479 2 nd and subsequent veins treated in a single extremity, each through separate access sites (list separately in addition to code for primary procedure)	Code all applicable procedures, services and supplies.

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.

Sample HCFA/CMS 1500 Paper Claim Form (Physician)

Field 21:
Enter appropriate ICD-9-CM diagnosis code

Field 23:
Enter appropriate percent number (if provided)

Field 24A:
Enter appropriate date(s) of service

Field 24D:
Enter appropriate CPT/HCPCS code(s) and applicable modifiers

Field 24F:
Enter appropriate charge(s)

Field 33:
Enter Provider Information

HEALTH INSURANCE CLAIM FORM											
1. MEDICARE MEDICAID CHAMPUS CHAMPVA GROUP HEALTH PLAN FECA BLK LUNG OTHER (Medicare #) (Medicaid #) (Sponsor's SSN) (VA File #) (SSN or ID) (SSN) (ID)						10. INSURED'S I.D. NUMBER (FOR PROGRAM IN ITEM 1)					
2. PATIENT'S NAME (Last Name, First Name, Middle Initial) Doe, John R.						3. PATIENT'S BIRTH DATE MM DD YY M SEX F					
5. PATIENT'S ADDRESS (No. Street) CITY STATE ZIP CODE TELEPHONE (Include Area Code)						7. INSURED'S ADDRESS (No. Street) CITY STATE ZIP CODE TELEPHONE (Include Area Code)					
6. PATIENT RELATIONSHIP TO INSURED Self Spouse Child Other 6. PATIENT STATUS Single Married Other Employed Full-Time Part-Time Student						11. INSURED'S POLICY GROUP OR FECA NUMBER					
9. OTHER INSURED'S NAME (Last Name, First Name) a. OTHER INSURED'S POLICY OR GROUP NUMBER b. OTHER INSURED'S DATE OF BIRTH MM DD YY M c. EMPLOYER'S NAME OR SCHOOL NAME d. INSURANCE PLAN NAME OR PROGRAM NAME						12. INSURED'S DATE OF BIRTH MM DD YY M SEX F 13. EMPLOYER'S NAME OR SCHOOL NAME 14. INSURANCE PLAN NAME OR PROGRAM NAME					
15. READ BACK OF FORM BEFORE COMPLETING & SIGNING THIS FORM											
16. PATIENT'S OR AUTHORIZED PERSON'S SIGNATURE (I authorize the release of any medical or other information necessary to process this claim. I also request payment of government benefits either to myself or to the party who accepts assignment below.) SIGNED: DATE:											
17. DATE OF CURRENT ILLNESS (First symptom) OR INJURY (Accident) OR PREGNANCY (LMP) 18. IF PATIENT HAS HAD SAME OR SIMILAR ILLNESS, GIVE FIRST DATE MM DD YY 19. HOSPITALIZATION DATES RELATED TO CURRENT SERVICES FROM MM DD YY TO MM DD YY 20. OUTSIDE LAB? \$ CHARGES YES NO 21. MEDICAID RE submission CODE ORIGINAL REF. NO. 22. PRIOR AUTHORIZATION NUMBER 9999999ZZZXX											
23. NAME OF REFERRING PHYSICIAN OR OTHER SOURCE 24. I.D. NUMBER OF REFERRING PHYSICIAN 25. RESERVED FOR LOCAL USE											
26. DIAGNOSIS OR NATURE OF ILLNESS OR INJURY (RELATE ITEMS 1, 2, 3 OR 4 TO ITEM 24E BY LINE) 1. 454.1 3. 1. 4. 1.											
27. FEDERAL TAX I.D. NUMBER SSN EIN 28. PATIENT'S ACCOUNT NO. 29. ACCEPT ASSIGNMENT? (For gov. claims, see back) YES NO 30. TOTAL CHARGE 31. AMOUNT PAID 32. BALANCE DUE											
33. SIGNATURE OF PHYSICIAN OR SUPPLIER INCLUDING DEGREES OR CREDENTIALS (I certify that the statements on the reverse apply to this bill and are made a part hereof.) 34. NAME AND ADDRESS OF FACILITY WHERE SERVICES WERE RENDERED (If other than home or office): ABC Associates 1234 Main Str. Anywhere, TH 87332 DIME GRP#											
(APPROVED BY AMA COUNCIL ON MEDICAL SERVICE 8/86) PLEASE PRINT OR TYPE FORM HCFA-1500 (12-95) FORM RRB-1500 FORM OWC-1500											

This information is provided by Diomed, Inc. as a guide for coding procedures and services involving the EVLT® procedure. It is not intended to increase or maximize reimbursement by any payer. This information is intended to assist providers in accurately obtaining coverage and reimbursement for their health care services. Providers assume full responsibility for all reimbursement decisions or actions. We strongly suggest you consult your payer organizations with regard to local coverage, bundling and reimbursement policies.